



NOTES:-
 SENSOR PROBE BODY MATERIAL: STAINLESS STEEL.
 *HOUSING BORE DIMENSION TO SUIT SENSOR PROBE: 20.10 TO 20.15 (16.7% TO 11.4% SQUEEZE ON O-RING).
 TARGET TUBE STANDARD OPTIONS, SEE DRAWING TG24-11.
 ELECTRONICS MODULE DETAILS AND OPTIONS, SEE DRAWING P106-12


THE REAR OF THE PROBE AND CABLE CONNECTIONS MUST BE PROTECTED FROM WATER INGRESS AND STRAIN RELIEVED.


CONNECTIONS TO ELECTRONICS MODULE:
 FOUR WIRES; RED, BLACK, GREEN AND YELLOW,
 LENGTH: 300, CROSS SECTION: 0.25mm²,
 WIRES POTTED IN PROBE HOUSING.



A	FIRST ISSUE DRAFT	JHF
B	STROKE DIMS ADDED	RDS
C	Ø9.5 WAS Ø9.60	PDM
D	DIM 42.5 WAS 42.6, & INGRESS NOTE	PDM
E	PROBE BORE & O-RING NOTES ADDED.	PDM

DRAWINGS NOT TO BE CHANGED WITHOUT REFERENCE TO THE CHANGE PROCEDURE.
 CHANGES TO PARTS USED IN INTRINSICALLY SAFE PRODUCT MUST BE APPROVED BY THE AUTHORISED PERSON
 THIS IS AN UNCONTROLLED PRINT AND WILL NOT BE UPDATED.



A	02/02/98		CHECKED BY	X	±0.4
B	05/10/00		RDS	X.X	±0.2
C	18/10/06			X.XX	±0.1
D	26/03/07	DESCRIPTION			
E	10/10/07	P106 LIPS INT'NAL MOUNTED CYLINDER SENSOR - PROBE			
SCALE		DRAWING NUMBER P106-11 REV E			
10mm		SHEET 1 OF 1			
